



Professional [®]


BALENO

Professional Led Series 2010-2011



www.baleno-professional.com

Please visit our website for all product sheets, high resolution product pictures and light distribution files



Professional®
BALENO

LED Helium Track Light

Description:

Baleno Professional Track Lights with 6, 9, and 12 x 3W high power Leds. High lumen output, wide soft light distribution, and excellent heat sink. Driver and 3-phase adapter included. Standard available in warm white. Neutral white on request.

Applications:

3-phase track rail and ceiling mounted applications. For shop displays, supermarkets and domestic applications. Also available in ceiling mounted application (item number: 05.1001)


Product Specifications:

Type of Led	Cree XRE P3
Colour Temperature	Warm White 3250K
Colour	Grey metallic
Driver	700mA
Adaptor	3-Phase (included)
Life span Leds	35.000 hours
Product size	295 x 135mm
EAN code	8718104441385

- 230 VOLT**
- 30°**
- Warm White
-
- CRI 80**
- ALU**
- 100°**
- 350°**
-
- Driver Incl
- 3-phase Adapter Incl
- IP 40**
-
-
- 2 Year Warranty


Light Distribution:

25.1103.2 LED Helium Track Light 6x3W



BALENO^{Professional}®

LED Neon Track Light



Description:

Baleno Professional Track Lights with 6, 9, and 12 x 3W high power Leds. High lumen output, wide soft light distribution, and excellent heat sink. Driver and 3-phase adapter included. Standard available in warm white. Neutral white on request.

Applications:

3-phase track rail and ceiling mounted applications. For shop displays, supermarkets and domestic applications. Also available in ceiling mounted application (item number: 05.1001)


Product Specifications:


Type of Led	Cree XRE P4 7A
Colour Temperature	Warm White 3250K
Colour	Grey metallic
Driver	700mA
Adaptor	3-Phase (included)
Life span Leds	35.000 hours
Product size	295 x 135mm
EAN code	8718104441408



Light Distribution:

25.1105.2 LED Neon Track Light 9x3W





Professional®
BALENO

LED Argon Track Light

Description:

Baleno Professional Track Lights with 6, 9, and 12 x 3W high power Leds. High lumen output, wide soft light distribution, and excellent heat sink. Driver and 3-phase adapter included. Standard available in warm white. Neutral white on request.

Applications:

3-phase track rail and ceiling mounted applications. For shop displays, supermarkets and domestic applications. Also available in ceiling mounted application (item number: 05.1001)


Product Specifications:

Type of Led	Cree XRE P4 7A
Colour Temperature	Warm White 3250K
Colour	Grey metallic
Driver	700mA
Adaptor	3-Phase (included)
Life span Leds	35.000 hours
Product size	295 x 135mm
EAN code	8718104441422

- 230 VOLT**
- 30°**
- Warm White
-
- CRI 80**
- ALU**
- 100°**
- 350°**
-
- Driver Incl
- 3-phase Adapter Incl
- IP 40**
-
-
- 2 Year Warranty

Light Distribution:

25.1107.2 LED Argon Track Light 12x3W



12
LEDS

36
WATT

1300
LUMEN



BALENO^{Professional®}

LED Xenon Down Light



Description:

Baleno Professional Down Lights with 6, 9, and 12 x 3W high power Leds. High lumen output, wide soft light distribution, and excellent heat sink. Driver included. Standard available in warm white. Neutral white on request.

Applications:

Recessed installation in ceilings. Illumination for office buildings, hall-ways, retail, and domestic applications.




Radon



Hydrogen


Product Specifications:

Type of Led	Cree XRE P3
Colour Temperature	Warm White 3250K
Colour	Grey metallic
Driver	700mA
Life span Leds	35.000 hours
Product diameter	Ø 120mm




Light Distribution:


25.1111.2 LED Xenon Down Light 6x3W



25.1113.2 LED Radon Down Light 9x3W



25.1115.2 LED Hydrogen Down Light 12x3W





Professional®
BALENO

LED Washington Down Light

Description:

Baleno Led Washington Down Light with 10W high power Leds. High lumen output and wide soft light distribution. Aluminum fixture. Driver included. Standard available in warm white. Neutral white on request.

Applications:

Recessed installation in ceilings. Illumination for office buildings, hall-ways, retail and domestic applications.


Product Specifications:

Type of Led	Cree MEC
Colour Temperature	Warm White 2700-3000K
Colour	White
Driver	700mA
Life span Leds	35.000 hours
Product diameter	Ø 95mm
EAN code	8718104440937



Light Distribution:

25.1077.2 LED Washington Down Light



BALENO^{Professional}®

LED Berylium Down Light



Description:


Led Berylium Down Light with high power Bridgelux Led module. High lumen output and wide soft light distribution. Aluminum fixture and high purity aluminum reflector. Driver included.

Applications:

Recessed installation in ceilings. Specially designed for illumination of commercial properties, such as office buildings, public areas, retail stores. Substitutes PL-C Down Lights.


Product Specifications:

Product Name	Berylium Down Light - 20W	Berylium Down Light - 30W
Type of Led	Bridgelux	Bridgelux
Colour temperature	4100K	3000K
Colour	White	White
Driver	1300mA	1300mA
Lifespan Leds	50.000 hours	50.000 hours
Light output	1300 lm	2000 lm
Beam angle	23°	19°
Product Size	Ø 193mm x 150mm	Ø 220mm x 155mm
Colour Rendering Index	65	80
EAN code	8718104443822	8718104443839




Light Distribution:

25.1207.2 LED Berylium Down Light - 20W



25.1208.2 LED Berylium Down Light - 30W





BALENO^{Professional}®

LED Caesium Down Light

Description:


Led Caesium Down Light with high power Nichia Led module. High lumen output and wide soft light distribution. Aluminum fixture and high purity aluminum reflector. Driver included.

Applications:

Recessed installation in ceilings. Specially designed for illumination of commercial properties, such as office buildings, public areas, retail stores. Substitutes PL-C Down Lights.


Product Specifications:

Product Name	Caesium Down Light - 16W	Caesium Down Light - 29W
Type of Led	Bridgelux	Nichia
Colour Temperature	4100K	3000K
Colour	White	White
Driver	1700mA	1700mA
Lifespan Leds	50.000 hours	50.000 hours
Light output	1060 lm	1750 lm
Beam angle	40°	30°
Product size	Ø 220 mm x 212mm	Ø 220 mm x 212mm
Colour Rendering Index	80	85
EAN code	8718104443846	8718104443853




Light Distribution:

25.1210.2 LED Caesium Down Light - 16W



25.1209.2 LED Caesium Down Light - 29W



BALENO^{Professional}®

LED Francium Down Light

Description:

Led Francium Down Light with high power Nichia Leds. High lumen output and wide soft light distribution. Aluminum fixture and high purity aluminum reflector. Driver included.

Applications:


Recessed installation in ceilings. Specially designed for illumination of commercial properties, such as office buildings, public areas, retail stores. Substitutes PL-C Down Lights.




Product Specifications:

Product Name	Francium Down Light - 7x1W	Francium Down Light - 9x1W	Francium Down Light - 12x1W	Francium Down Light - 5x3W
Type of Led	Nichia	Nichia	Nichia	Nichia
Colour Temperature	4100K	4100K	3000K	3000K
Colour	White	White	White	White
Driver	350mA	350mA	350mA	700mA
Lifespan Leds	50.000 hours	50.000 hours	50.000 hours	50.000 hours
Light output	496lm	635 lm	807 lm	560 lm
Beam angle	38°	37°	37°	38°
Product size	Ø 165 mm x 171mm	Ø 165 mm x 171mm	Ø 193 mm x 183mm	Ø 165 mm x 174mm
Colour Rendering Index	85	85	85	85
EAN code	8718104443877	8718104443884	8718104443891	8718104443860

Light Distribution:





Professional®
BALENO

LED Potassium Flood Light

Description:

Led Potassium Flood Light with 70 high power Cree Leds. High lumen output, excellent heat sink design, and long lifespan.

Applications:

For outdoor use IP66 or installed in areas with high risk of flammability, such as petrol stations. For illumination of buildings, trees, or other constructions and objects.

Product Specifications:


Type of Led	Cree
Colour Temperature	5000 ~ 5500K
Life span Leds	>50.000 hours
System power consumption	78W
Power efficacy	88%
Working Temperature	-40° ~ 50°
EAN code	8718104443808


- 230**
VOLT
- 6300**
LUMEN
- 120°**
- Neutral
White
- ALU**
-
- Driver
Incl
- IP**
6 6
- CRI**
75
-
- 2 Year
Warranty



Light Distribution:

25.1205.2 LED Potassium Floodlight 70W





BALENO^{Professional}®

LED Rubidium Street Light

Description:

Led Rubidium Street Light with 96 high power Cree Leds. High lumen output, excellent heat sink design, and long lifespan. Luminaires can be customized according to specific lux requirements.

Applications:

For outdoor use IP66. Applied on lamp post to illuminate streets, motor ways, squares, tunnels etc.


Product Specifications:

Type of Led	Cree
Colour Temperature	5000 ~ 5500K
Life span Leds	>50.000 hours
System power consumption	106W
Power efficacy	90%
Working Temperature	-40° ~ 50°
Product size	447 x 300 x 205mm
EAN code	8718104443815

- 230**
VOLT
- 8500**
LUMEN
- 140°**
- Neutral
White
- ALU
-
- Driver
Incl
- IP
66
- CRI
75
-
- 2 Year
Warranty


Light Distribution:

25.1206.1 LED Monterrey Street light 90W





Professional®
BALENO
 LED Flex Strip



Description:

Baleno Professional Led Flex Strip in 24V RGB or Warm White version. Also available in 12V. Easy installation on straight and curved surfaces. Driver excluded. Comes per 5m per roll for RGB and 6m per roll for WW. Can be cut every three Leds.

Applications:

Discrete decorative lighting. Applied in domestic environments or night venues, such as restaurants and bars.

Product Specifications:

Product Name	Led Flex Strip Professional - RGB	Led Flex Strip Professional - WW
Type of Led	5050 SMD	3528SMD
Colour Temperature	RGB	Warm White 3000K
System Power Consumption	0.6W	4.8W
Colour Rendering Index	N/A	75
Lifespan Leds	50.000 hours	50.000 hours
Number of leds	36LEDs/meter	60LEDs/meter
Lumen Output	10lm/Led	5lm/Led
Product size	10 x 5000mm	12 x 6000mm
EAN code	8718104441118	8718104441064

24
VOLT


8.6
WATT

RGB

Driver
Incl

IP
20

2 Year
Warranty



BALENO^{Professional}®

LED Tube

Description:

Baleno retrofit Led tube for T8 fixtures. Can be directly installed by disconnecting ballasts and starters. Aluminum heat sink for low working temperature. High lumen output. Available in warm white and neutral white, and in 0.60, 1.20 and 1.50 meters. Comes in a full colour Baleno Led packaging with manual.

Applications:

Can be placed in all T8 fixtures such as office grill lights, batten lights for outdoor use, parking lots and garages.

Product Specifications:

Type of Led	Epistar
Colour Temperature	Warm White 3200K Neutral White 5000K
Lifespan Leds	> 35.000 hours



25.1017.2	0.60 WW	8 WATT	550 LUMEN	Warm White	CRI 70
25.1017.8	0.60 NW	8 WATT	670 LUMEN	Neutral White	CRI 60
25.1015.2	1.20 WW	17 WATT	1050 LUMEN	Warm White	CRI 70
25.1015.8	1.20 NW	17 WATT	1300 LUMEN	Neutral White	CRI 60
25.1138.2	1.50 WW	21 WATT	1300 LUMEN	Warm White	CRI 70
25.1138.8	1.50 NW	21 WATT	1760 LUMEN	Neutral White	CRI 60

Colour	EAN code
0.60 WW - 25.1017.2	8718104440197
0.60 NW - 25.1017.8	8718104442344
1.20 WW - 25.1015.2	8718104440159
1.20 NW - 25.1015.8	8718104442337
1.50 WW - 25.1138.2	8718104442368
1.50 NW - 25.1138.8	8718104442375



Professional LED Retrofit Lamps

Professional LED Spotlight
GU5.3 3 Watt 120 Lumen

25.1118.2 | EAN Code 8718104441828



Type of Led	CREE
Colour Temperature	Warm White 2700K

Professional LED Spotlight
GU5.3 4 Watt 190 Lumen

25.1119.2 EAN Code 8718104441835



Type of Led	CREE
Colour Temperature	Warm White 2700K

Professional LED Spotlight
GU5.3 6 Watt 280 Lumen

25.1134.2 | EAN Code 8718104442139



Type of Led	CREE MCE
Colour Temperature	Warm White 2700K

Professional LED Spotlight
GU10 4 Watt 130 Lumen

25.1120.2 | EAN Code 8718104441842



Type of Led	Acriche
Colour Temperature	Warm White 2850K

Professional LED PAR16 Spotlight
GU10 7 Watt 290 Lumen

25.1122.2 | EAN Code 8718104441866



Type of Led	CREE
Colour Temperature	Warm White 2700K

Professional LED PAR16 Spotlight
GU10 8 Watt 350 Lumen

25.1135.2 | EAN Code 8718104442146



Type of Led	CREE
Colour Temperature	Warm White 2700K



Professional LED Retrofit Lamps

Professional LED Lightbulb
E27 7 Watt 280 Lumen

25.1121.2 | EAN Code 8718104441859



Type of Led	CREE
Colour Temperature	Warm White 2700K

Professional LED Lightbulb
E27 7 Watt 250 Lumen CTA

25.1136.2 | EAN Code 8718104442153



Type of Led	CREE
Colour Temperature	Warm White 2300-2700K



Professional LED Lightbulb
E27 10 Watt 500 Lumen

25.1174.2 | EAN Code 8718104443143



Type of Led	CREE
Colour Temperature	Warm White 2700K



Professional LED Candlelight
E14 4 Watt 110 Lumen

25.1175.2 | EAN Code 8718104443150



Type of Led	CREE
Colour Temperature	Warm White 2850K

Professional LED Downlighter
E27 8 Watt 350 Lumen

25.1123.2 | EAN Code 8718104441873



Type of Led	CREE
Colour Temperature	Warm White 2700K



Professional LED PAR 30 Spotlight
E27 10 Watt 550 Lumen

25.1195.2 | EAN Code 8718104443419



Type of Led	Epistar
Colour Temperature	Warm White 2900K



Professional [®]
BALENO
www.baleno-professional.com



www.tuono-lights.com
info@tuono-lights.com

YiYuan - Building A
492 Anhua Road
Shanghai 200051
P.R.China
T | 0086 21 62361026
E | 0086 21 62361023